According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020

## **SILADENT**

Page 1 of 7 Printing date: 04.07.2022

Aluminium Oxide

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: Aluminium Oxide

**1.2** Uses of the product: Mineral blasting abrasive for industrial use.

1.3 Details Of Supplier

Australian Supplier: Ultimate Dental Supply Address: 660a South Rd, Moorabbin

State/Postcode: Victoria 3189

Phone: Tel.: (03) 9532 1799

Fax: Fax: (03)9555 9455 E-mail: info@ultimatedental.com.au

Further information: info@siladent.de

1.4 Emergency telephone number

131126 PoisonsHotline 24/7

**SECTION 2: Hazards identification** 

**2.1 Classification:** Not applicable.

**2.2** Label elements: Does not require labelling under the CLP Regulation (EC) No.

1272/2008. But please take note of this product information.

No risk of silicosis during application.

**Safety instructions:** Possible dust exposure due to fine dust particles.

2.3 Other hazards: Not known.

### **SECTION 3: Composition/information on ingredients**

Ingredients	EK (Mean values)
Aluminium oxide	99. 73%
(Al <sub>2</sub> O <sub>3</sub> )	

Chemical characterisation	EINECS	CAS No.	(1) REACH Registration No. (2) CLP Notification No to CLP Regulation (E No. 1272/ 2008		ulation (EC)
				Hazard classes Hazard categories	Hazard statements
Aluminium oxide	215-691-6	1344-28-1	1) 01-2119529248 -35-0010		
(Al2O3)			(2) 02 -2119709295-38-0000	-/-	-/-

Substances listed on the so-called 'Candidate List of Substances of Very High Concern (SVHC) for authorisation' of the European Chemicals Agency (ECHA) are not intentional ingredients of this product. It is therefore not to be expected that those substances are present in quantities of > 0.1% in the product.

**Hazardous substances:** No dangerous ingredients.

**Substances with prescribe EC exposure** Does not contain substances with EC exposure limits.

limits:

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020

# SILADENT Page 2 of 7

Printing date: 04.07.2022

### **Aluminium Oxide**

SECTION	4: First aid	measures
---------	--------------	----------

Please also take note of sections 8 and 16 of this product information.

4.1 Description of first aid measures:

**General information:** Consult a doctor in case of health disorders.

**After inhalation:** Provide the affected person with fresh air. Consult a doctor in

case of irritation in of the respiratory tract.

After eye contact: Remove contact lenses and rinse the eyes with open eyelids

for 10 minutes under running water.

If necessary, consult an ophthalmologist.

After skin contact: Wash with water and rinse.

After swallowing Rinse mouth and drink plenty of water. Do not induce

vomiting. If you feel unwell, seek medical advice.

4.2 Most important symptoms and effects,

both acute and delayed:

Not known.

4.3 Indication of any immediate medical

attention an special treatment needed:

Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media: Product does not burn. Match extinguishing measures to

ambient situation.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the

product:

Not known.

**5.3** Advice for fire fighters: Match the firefighting measures to the environmental

conditions.

Additional information: Not known.

**SECTION 6: Accidental release measures** 

**6.1 Personal precautions:** Avoid dust formation.

**6.2 Environmental protection measures:** Not known.

6.3 Methods and materials for containment

and cleaning up:

Pick up mechanically and dispose of properly.

**6.4** Reference to other sections: Refer to protective measures in section 7 and 8.

Additional information: Not known.

**SECTION 7: Handling and storage** 

**7.1 Precautions for safe handling:** For safety reasons, it is recommended to use a protective

sieve during filling.

**Information on safe handling:** Avoid dust information.

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020

Page 3 of 7 Printing date: 04.07.2022

**Aluminium Oxide** 

Information on fire and explosion

protection:

No special fire protection measures are necessary.

Additional information: Not known.

7.2 Conditions for safe storage, including any incompatibilities

Information on storage conditions: Always store product in dry conditions.

Requirements for storage rooms and

containers:

No special requirements needed.

Storage class VCI: LGK 13 (non-combustible solids)

7.3 Specific end uses: Aluminium oxide is used to manufacture or to use as blasting

or abrasive medium.

**SECTION 8: Exposure controls/personal protection** 

8.1 Control parameters

Occupational exposure limit values in the workplace and / or biological limit values

Occupational Exposure Limits (OEL) in Germany for dusts

Inhalable fraction (E) 10 mg/m<sup>2</sup>

1,25 mg/m<sup>3</sup> Respirable fraction (A)

With exceeding factor 2 each, re. TRGS

900

**Community exposure limits** Country specific. Pleas inquire in individual cases.

8.2 Limitation and monitoring of exposure Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over the use of personal

protective equipment.

Provide adequate ventilation. This can be achieved by local suction or general extraction. Aluminium oxide is not a hazardous substance, thus only the general dust limit value applies. Suitable assessment methods to verify the effectiveness of the protective measures taken include metrological and non-metrological determination methods as described in the Technical Rules for Hazardous Substances (TRGS) 402 and BS EN 14042".

Personal protective equipment: The use of personal protective equipment is dependent on

the concentrations and quantity of hazardous substances in

their execution in specific workplaces.

Respiratory protection: Normally, no personal respiratory protective equipment is

necessary. In case of insufficient ventilation or exceeded workplace limits, a protective breathing mask should be worn

(FFP filtering half mask depending on the existing

concentration).

Hand protection: Glove material: Leather

Eye protection: Tight-sealing protective eyewear (dust-protection goggles) in

accordance with EN 166:2001.

**Body protection:** With normal use, no body protection by half or full-body

coverall and boots is required.

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020

## SILADENT

Page 4 of 7 Printing date: 04.07.2022

### **Aluminium Oxide**

**Information on industrial hygiene:** Minimum standards for protective measures when handling

working materials are listed in TRGS 500.

Do not eat, drink, smoke or take drugs while using this product. Avoid contact with skin, eyes and clothing. Remove soiled or soaked clothing immediately. Wash hands before breaks and at end of work.

Protect skin by using skin creams.

**Environmental protection measures:** See sections 6 and 7; no further action is required.

**SECTION 9: Physical and chemical properties** 

9.1 Information on basics physical and chemical properties

**Appearance** 

Appearance:angularPhysical state:solidColour:whiteOdour:odourless

Safety data:

**Explosion hazard:** The product itself is not explosive; however, formation of

explosive air/dust mixtures is possible

Lower explosion limit:not knownUpper explosion limit:not knownVapour pressure:not relevant

**Specific gravity:** approx. 3.9 to 4.1 g/cm<sup>3</sup>

Flow time:

Water solubility:

pH value:

Boiling point/range:

not relevant

insoluble in water

not applicable

not applicable

Flash point: not determined as product is not flammable

Melting point: approx. 2 000 °C

**Ignition temperature:** not determined as product is not flammable

The information about the explosion limits refers to Aluminium oxide. Please refer to the technical

data sheet for other physical and chemical data.

**9.2 Other information:** None.

**SECTION 10: Stability and reactivity** 

**10.1 Reactivity:** Aluminium oxide is non-reactive and does not chance with

proper handling and storage.

**10.2** Chemical stability: Aluminium oxide is chemically stable and does not change

with proper handling and storage.

**10.3 Possibility of hazardous reactions:** No hazardous reactions known.

**10.4 Conditions to avoid:**No decomposition if used according to specifications.

**10.5** Incompatible materials: No hazardous reactions known.

**10.6** Hazardous decomposition products: No known hazardous decomposition products.

**SECTION 11: Toxicological information** 

11.1 Information on toxicological effects: According to current IFA reports the product contains silicosis-

inducing, toxic and carcinogenic components. The indications

given in section 8 of this product information must be

observed.

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020



Page 5 of 7 Printing date: 04.07.2022

### Aluminium Oxide

**Acute toxicity:** No data on the product available. Irritation: No data on the product available. Corrosivity: No data on the product available. Sensitisation: No data the product available. No known toxicity of Aluminium oxide.

Repeated dose toxicity: CMR effects (carcinogenic, mutagenic No carcinogenic effect according to IFA reports.

and toxic to reproduction):

Summarised evaluation of the CMR

properties:

Practical experience ( relevant for classification and other observations):

Carcinogenicity: Mutagenicity:

Reproductive toxicity:

Other information:

No known CMR properties.

No data on the product available.

No known carcinogenicity of Aluminium oxide.

No data on the product available. No data on the product available.

Not known.

### **SECTION 12: Ecological information**

12.1 Toxicity: No known effects.

**Ecotoxicity:** For Aluminium oxide no environmental problems are to be

expected when handled and used properly.

Fish toxicity: Harmful effects for aquatic organisms are not expected.

Aquatic invertebrates: Harmful effects for aquatic organisms are not expected.

Water plants: Harmful effects for aquatic organisms are not expected.

12.2 Persistence and degradability: Based on current experience, this product is inert and not

degradable.

12.3 **Bioaccumulation potential:** No data available. Accumulation in biological materials is

rather unlikely, as it is inert and insoluble.

12.4 Mobility in soil: Potential not known.

Results of PBT and vPvB assessment: Not relevant. The substances in this product do not meet the

criteria for classification as PBT or vPvB.

12.6 Other harmful effects: Not known.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods:

> **Product:** Aluminium oxide. If recycling is not possible, waste must be

disposed of in compliance with national and local regulations.

Confirm the exact waste code with the disposer.

**Waste Code according to European** 

Waste Catalogue (EWC):

12 01 17 waste blasting material other than those mentioned

in 12 01 16.

13.2 Packaging: National and local regulations must be followed.

Contaminates packaging: Packaging with Aluminium oxide residues can be recycled.

Cleaned packaging: Packaging can be reused after being cleaned or recycled.

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020 **Aluminium Oxide** 

## SILADENT

Page 6 of 7 Printing date: 04.07.2022

## SECTION 14: Transport information

Aluminium oxide is no dangerous good.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations / legislation specific for the product.

EU regulations:

Aluminium oxide is not subject to the Regulation 722/2012/EU

(ADI-Free).

National regulations:

Water hazard class: Not hazardous to water, classification according to AwSV.

Technical instruction on air quality (TA-

Luft):

Substances not mentioned by name.

Hazardous Incident Ordinance (12. BImSchV [German Federal Immission

Control Regulation]):

Substance not mentioned by name.

Solvents Ordinance (31. BlmSchV [German Federal Immission Control

Regulation]):

Substances not mentioned by name.

**Chemicals Prohibition Ordinance:** Substances not mentioned by name.

**Relevant Technical Rules for Hazardous** 

Substances:

Contains no hazardous substances.

**Employment Restrictions:** Not known.

Miscellaneous: Aluminium oxide is not subject to the VOC Regulation.

International regulations: All Aluminium oxide ingredients are listed with TSCA, AICS,

DS/NDSL, KECL, ENCS, PICCS, IECS, NZIoC, TCSA and

KKDIK.

**15.2 Chemical safety assessment:** Not relevant.

**SECTION 16: Other information** 

Further applicable EC directives: Not known.

Restrictions on use recommended by

the manufacturer:

For industrial applicate only.

### Other Information:

The product information in this documentation is correct to the best of our knowledge at the time of printing. The information is intended to provide you with advice on the safe handling of the product mentioned in this product information for storage, processing, transport and disposal. The information cannot be applied to other products. If the product mentioned in this documentation is in anyway tampered with i.e. mixed with other materials, processed or undergoes processing, the information as supplied in this document no longer applies to the new product unless expressly stated otherwise.

Changes since the last version: 2017-07-10 Revision

2018-07-17 Advice Protective sieve

2018-08-01 Regulation 722/2012/EU (ADI-Free). 2019-08-06 Supplement International Regulations

2020-08-05 Supplement AwSV.

According to the REACH Regulation (EC) No. 1907 / 2006

Date of issue: 05.08.2020

## **SILADENT**

Page 7 of 7 Printing date: 04.07.2022

### **Aluminium Oxide**

Literature and data sources:

Regulations:

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

Hazardous Substances Ordinance (GefStoftv)
Comrnission Decisioo 2000/532/EC (AVV)

Transport Regulations according to ADR, RID and IATA

**TRGS 900** 

VOC Regulation (OiemVOCFarbV)

Hazard statements, referred to in section None. 2 and 3 according to Regulation (EC) No. 1272/2008:

The above information is based on the present state of knowledge; however, this shall not constitute a guarantee of product properties and establishes no contractual legal rights. Existing laws and regulations must be strictly followed by the recipient or user of the blasting medium on their own responsibility.

Legend:

ADR European agreement concerning the international carriage dangerous goods by road

AVV/EWC European Waste Catalogue

AwSV Administrative Regulation on Substances Harzardous to Water

BimSchV Regulation on the Implementation of the (German) Federal Immission Control

Ordinance

CAS Chemical Abstracts Service EC European Community EN European Standard

IATA-DGR International Air Transport Association -Dangerous Goods Regulations

PBT persistent, bioaccumulative, toxic

RID Regulations concerning the International Carriage of Dangerous Goods

TRGS Technical I Rules for Hazardous Substances VOC Volatile Organic Compounds (VOCs)

vPvB very persistent and very bioaccumulative

TSCA Toxic Substances Control Act

AICS Australian Inventory of Chemical Substances

DSL/NDSL Canada Domestic Substances List / Non-domestic Substances List

KECL Korea Existing Chemicals List

ENCS Japanese Existing and New Chemical Substances

PICCS Philippine Inventory of Chemicals and Chemical Substances

IECSC Existing chemical inventory in China NZIoC New Zealand Inventory of Chemicals

TCSCA Toxic Chemical Substance Contorl Act in Taiwan

KKDIK Turkish Regulation on Chemical Registration, Evaluation, Authorisation and

Restriction